

GUJARAT REGIONAL OFFICE EMPLOYEES' STATE INSURANCE CORPORATION

(Ministry of Labour & Employment, Government of India)
Panchdeep Bhavan, Ashram Road, Ahmedabad (Gujarat)-380014

Phone: 079-27582400/450 Fax : 079-27540498

Web Site: www.esicgujarat.in, E-mail: rd-gujrat@esic.in

Re-e-TENDER FOR "ANNUAL REPAIRS AND MAINTENANCE (Civil) FOR ESIC BUILDINGS AHMEDABAD GROUP-I"

TECHNICA	AL BID DOCUMENT
Issued to :	
Issued on :	
	Issued by:-
	-sd-
	Akshay Kala
	(Regional Director)

INDEX

Sl.	Subject	Annexure	Page No.
No			S
1	Notice Inviting Tender	Α	2
2	Instructions to the Bidders for e-tendering	-	4
3	Eligibility Condition	В	5
4	Instructions to bidders	С	6
5	Scope of work	D	10
6	General condition of contract	E	12
7	Special condition of contract	F	21
8	Contract Agreement	G	22
9	Complaint Registration form	Н	24
10	Repair and Maintenance Complaint Register	1	25
11	Form of Performance Security Bank Guarantee Bond	J	26
12	Technical Bid Performa	K	28
13	Experience of Company	L	31
14	Manpower Deployment Schedule	M	32



GUJARAT REGIONAL OFFICE EMPLOYEES' STATE INSURANCE CORPORATION

(Ministry of Labour & Employment, Government of India)
Panchdeep Bhavan, Ashram Road, Ahmedabad (Gujarat)-380014

Phone: 079-27582400/450 Fax: 079-27540498 Web Site: www.esicgujarat.in, E-mail: rd-gujrat@esic.in

Notice Inviting Re-e-Tender

FOR ANNUAL REPAIRS AND MAINTENANCE (Civil) FOR ESIC BUILDINGS, AHMEDABAD GROUP NO. 1 (ONE)

1. Offer under e-tender process under two bid system are invited from eligible and registered contractors of C.P.W.D.s /State P.W.D.s./M.E.S./ Railways/BSNL Civil wing or any other government body for Annual Repair and Maintenance Works/Services for ESIC Buildings, Ahmedabad Group No. 1(One) listed under scope of work in Annexure-'D' or any other site under the jurisdiction of Regional Office, Gujarat as and when situation warrants for one year.

SI.	Item	Detail
1	Name of work	Annual Repair and Maintenance Works/Services for ESIC Buildings,
		Ahmedabad Group No. 1(One)
2	Period of	The Contract shall initially be for a period of One year and may be
	Contract	extended further for one more year subject to satisfactory performance,
		on the same terms and conditions.
2	Estimated	Rs. 47.95 Lakh only per annum
	Cost	
3	Earnest	The amount of Earnest Money Deposit (EMD) is Rs 100000/- (Rs One
	Money	Lakh only) which shall be in the form of Demand Draft of scheduled
	Deposit (EMD)	Bank issued / drawn in favor of ESI FUND ACCOUNT No.1, payable at

		Ahmedabad.
4	Tender Document	The tender document may be downloaded from www.esic.nic.in/tenders, www.esicgujarat.in, www.eprocure.gov.in and www.esictenders.eproc.in from 13/10/16 to 03/11/16.
5	Last Date of submission	Technical bid and finance bid must be submitted online at www.esic.eproc.in during period from 13/10/16 to 03/11/16. However, bidders are required to submitted technical bid document along with all annexures during period from 13/10/16 to 03/11/16 in open Tender box kept in Property Management Branch's Room at 1st floor of Regional Office Building, ESIC, Panchdeep Bhavan, Ashram Road, Ahmedabad -380014. It may also be sent through registered post on the address 'Regional Director (Property Management Branch), Regional Office, ESI Corporation, Panchdeep Bhavan, Ashram Road, Ahmedabad -380014 (Gujarat) in addition to submitting it online. Bid submitted through any other mode shall not be entertained.
6	Date of opening tender:	The technical bids of tenders shall be opened in the presence of the tenderers who choose to be present on 03/11/2016 at 04:00 PM in conference hall, 4 th floor. In case 03/11/2016 is declared a public holiday, tenders shall be received & opened as per above schedule on next working day. Financial bids of those bids who are found technically qualified shall be opened on 08/11/16 at 04.00 PM.

-sd-

Regional Director Employees' State Insurance Corporation, Regional Office, Ahmedabad

Important Instructions for E-tender

- All bidders are required to procure Class-IIIB Digital Signature Certificate (DSC) with Both DSC Components i.e. Signing & Encryption to participate in the E- Tenders.
- Bidder should get registered at https://esictenders.eproc.in.
- Bidders needs to submit bid processing fee charges of Rs. 2495/- non refundable in the form of demand draft for any scheduled bank in favour of M/s C1 India Pvt. Ltd. payable at New Delhi for participating in the tender.
- Along with the demand draft, bidder needs to send covering letter mentioning about the payment details company name address payment towards ESIC bid processing fees mention the tender ID and tender title.
- The payment should reach at the below mentioned address, one day before the due date and time of bid submission.
 M/s C1 India Pvt. Ltd.

301, Gulf Petro Chem. Building, 1st Floor, Udyog Vihar, Phase-2, Guragaon, Haryana-122015.

Note: Payment will be approved only after physical receipt of demand draft.

Helpdesk Numbers are open between 09:30 Hrs to 18:00 Hrs 1st Monday to Friday (Exclusion: Holidays)

Please email your issues at <u>esichelpdesk@c1india.com</u> before you call helpdesk this will help serving you better

Contact Nos. and Email IDs of helpdesk Officers.

Sr. No.	Name	E-Mail	Phone Numbers
1.	Mr. Elavarasan Raghunathan	elavarasan.raghunathan	+91-022-66865600/10/11
		@c1india.com	+91-8655995550
2	Ms. Anjali Thombare	anjali.thombare@	+91-022-66865600/10/11
		c1india.com	
3	Mr. Ashish Kumar	ashish.kuma@c1india.co	+91-0124-4302034/ +91-
		m	9971556555
4	Mr. Nimesh Bhardwaj	nimesh.bharadwaj@c1in	+91-0124-4302035/ +91-
		dia.com	9310527400
5	Ms. Ranjana Sharma	ranjana.sharma@c1india	+91-9716528440
		.com	

For Escalations contact

SI. No.	Name	Email	Phone Numbers
1	Mr. Ashish Goel	Ashish.goel@c1india.com	09818820646
2	Mr. Achal Garg	Achal.garg@c1india.com	09818673858

Eligibility Conditions

- 1. The bidder should be a contractor/agency registered with C.P.W.D.s /State P.W.D.s./M.E.S./Railways/BSNL Civil wing or any other government body as Civil contractor.
- 2. The bidder should have minimum three years experience as on June 2016 in similar nature of works.
- 3. The similar nature of works means that the applicant should have completed the Building works including the water supply, sanitary installation and drainage work or Repair and Maintenance works including the water supply, sanitary installation and drainage work.
- 4. Average Annual Financial turnover in similar work should be at least Rs. 50 Lakh during the immediate last 3 consecutive financial years i.e. 2014-15, 2013-14 and 2012-13.
- 5. The applicant should have also successfully completed similar works in Central Govt. offices/State Govt. offices/attached offices/statutory bodies/PSU departments during last seven years ending June 2016 either of the following:
 - a) Three similar completed works costing not less than the amount equal to Rs. 19 Lakh

or

- b) Two similar completed works costing not less than the amount equal to Rs. 24 Lakh
- c) One similar completed works costing not less than the amount equal to Rs. 38 Lakh

Their completion certificate along with cost of the work, period and nature of work in the prescribed Performa of the concerned department duly signed by the competent authority should be furnished.

Annexure-C

INSTRUCTIONS TO THE BIDDERS

1. **Earnest Money Deposit:**

- 1.1. The Earnest Money of Rs One Lakh in the form of Demand Draft of scheduled Bank issued / drawn in favor of ESI FUND ACCOUNT No.1, payable at Ahmedabad.
- 1.2. EMD shall be placed in separate sealed cover by writing the name of work on the envelope. If the Earnest Money is not found as per the prescribed manner then Technical/financial Bid shall not be opened.
- 1.3. Earnest money given by all the contractors except the three lowest tenderers shall be refunded within a week from the date of receipt of the tenders. The earnest money given by the other two tenderers (except the one whose tender is accepted) shall also be refunded within 15 days of the acceptance of the tender.

2. Submission of bids:-

- 2.1. Each and every page of the technical bid document should bear the stamp and signature of the person whose name registration exists or he shall be authorized legally or any representative clearly by mentioning the name and stating that the person can sign the tender documents on his behalf. Format enclosed shall be filled without exception.
- 2.2. The tenderer should take care to submit all the information sought by the Employees' State Insurance Corporation in prescribed formats. Also, the tenderer has to give the following documents along with technical bid document in addition to online submission of technical bid document wherever applicable in e-tender solution.
- (a) E.M.D. of Rs. 1,00,000/-
- (b) Copy of PAN Card
- (c) Clause by clause compliance demonstrating substantive responsiveness to the commercial condition by signing and stamping on all the pages of the original bid documents.
- (d) Certificate of Incorporation/ Registration of Firm. Certificate/Memorandum and article of Association/ Partnership Deep/ Proprietorship Deed/ Declaration of proprietorship etc. as the case may be

- (e) Copy of Balance sheet/P & L Account for last three financial years (i.e. 2014-15, 2013-14, 2012-13).
- (f) Copy of Income Tax Return for last three years(i.e. AY 2014-15, AY 2013-14, AY 2012-13)
- (g) Copy of Service Tax Certificate along with latest challan.
- (h) Copy of Sales Tax/VAT/TIN Certificate, if applicable.
- (i) ISO Certificate, if any.
- (j) Letter of authorization to attend bid opening.
- (k) Experience certificate of similar nature of works for last three (3) years.
- (I) Satisfactory completion certificate of similar nature of work (as per sr. no. 5 of Annexure –B, i.e eligibility condition)
- (m) ESI Registration Certificate.
- (n) EPF Registration Certificate.
- (o) Valid License copy for civil work under the CPWD/ State PWD/ Central Govt./ State Govt./PSUs
- (p) Registration certificate in respect of Central Labour Act 1970 & Contract Labour Central Rule 1970.
- (q) A self-certificate that they have not been indicted for any criminal, fraudulent or anticompetition activity and has not been blacklisted by any Govt. departments or otherwise.
 - Technical bid shall be opened on the date as mentioned in NIT. The financial bid of the tender shall be opened only for the tenders which qualify in the technical bid, on the date as mentioned in NIT.

2.4 Financial Bid:

Financial bid must be submitted online only at www.esic.eproc.in. The financial bid of the tenderers, whose technical bid is found to be suitable, will be opened in the presence of the tenderers, who desire to attend the opening of financial bid.

3. Duly filled technical bid document may be sent through registered post or may delivered by hand in the tender box available in the office of Employees State Insurance Corporation at the following address.

Property Management Branch

1st floor
Regional Office
Employees State Insurance Corporation
Panchdeep Bhavan,
Opp. Income Tax Office,
Ashram Road, Ahmedabad – 380 014

- **4.** The site for the work can be seen on any working days during office hours by contacting Deputy Director (PM Branch), Employee's Sate Insurance Corporation, Panchdeep Bhavan, Ashram Road, Ahmedabad .The tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting the tenders, the form and nature of site, the means of access to the site. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed.
- 5. The competent authority on behalf of ESIC does not bind himself to accept the lowest or any other tender, and reserves the right to reject any or all of the tenders without assigning any reasons thereof. All the tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
- 6. Canvassing whether directly or indirectly, in connection with tenders strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 7. The competent authority on behalf of ESIC reserves with himself the right of accepting the whole or any part the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 8. The work shall remain open for acceptance for a period of Sixty days from the date of opening of tenders. If any tenders withdraws his tender before the said period, or issue of letter of acceptance/Indent whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable by the ESIC and, shall be without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money.

9. **PERFORMANCE GUARANTEE**:

- **8.1** The successful contractor will be required to furnish an irrevocable PERFORMANCE GUARANTEE of 5% (Five percentage) of the tendered amount in addition to other deposit mentioned elsewhere in the contract for his proper performance of the contract, (not withstanding and /or without prejudice to any other provisions in the contract) within 7 days of issue of letter of acceptance of tender.
- **8.2** The guarantee shall be in the form of Fixed Deposit Receipts or Guarantee Bonds of any scheduled bank or the State Bank of India. In case a fixed deposit receipt of any bank is furnished by the contractor to ESIC as a part of performance guarantee and the bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to ESIC to make good the deficit.
- **8.3** The performance Guarantee shall be initially valid for a period up to sixty days beyond the stipulated date of completion. In case the time for completion of work

gets extended, the contractor shall get the validity of performance Guarantee extended, at his own cost; to cover such extended time for completion of work.

- 10. Letter of acceptance of tender shall be issued in the first instance informing that the successful tender in the decision of the competent authority to accept his tender and commencement of work award letter shall be issued only after the performance Guarantee in the prescribed form is received, In case of failure of the contractor to furnish the performance Guarantee within the specified period , The ESIC shall without prejudice to any other right or remedy available in Law, be at liberty to forfeit the earnest money absolutely.
- 11. **SECURITY DEPOSIT:** The contractor shall permit ESIC at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 5% of gross amount of each running bill till the sum along with the sum already deposited as earnest money, will amount to security deposit of 5% of the tendered value of the work. Such deductions will be made and held by ESIC by way of Security Deposit.
- 12. On acceptance of the tender, the name of the accredited representative (s) of the contractor, who would be responsible for taking instructions from the Engineer, shall be communicated in writing to the ESIC.
- 13. Sales tax, Purchase tax, turn over tax, Service tax or any other tax, labour cess, in respect of the contract, must be payable by the contractor, The ESIC, will not entertain any claim what so ever in respect of the same.
- 14. Rates quoted shall be deemed to have inclusive of cost of manpower, material, machinery, tools and plants, etc. & all taxes (including service tax), duties and levies, insurance etc. No escalation of whatsoever nature, shall be payable.
- 15. The tenderers shall produce their valid enlistment with the appropriate authority for all types of taxes, cess, duty, contribution etc.
- 16. Rates quoted by the agency shall also be inclusive of 1% (one percent) cess on the work done as applicable on the building & other construction workers welfare act 1966 due to the introduction of "The building & other construction works (Regulation of Employment & Conditions of Services Act 1966)".

17. Award of work:

- i The selection of the agency will be at the sole discretion of the Employees State Insurance Corporation, who reserves the right to accept one or to reject any or all the tenders without assigning any reasons thereof.
- ii The contract shall be awarded to the best qualified responsive tender.
- iii Upon evaluation of offers, the written notification for award of contract will be intimated to the successful tenderer to start the work.

		Regio	nal Director,
Employees'	State	Insurance	Corporation,
			Ahmedabad.

	Ahmedabad
Sign of Contractor :	
	$0 \mid D \circ \sim 1$

Date :	
Place:	

Annexure-D

SCOPE OF WORK

Details of Premises/buildings:

Serial No	Name and Address of Building under Group Number 1(One)	Nature of Facility
1	R.O. Building, Panchdeep Bhavan, Ashram Road, Ahmedabad	Office
2	Branch Office Asarwa, B/H Municipal School, Girdharnagar, Ahmedabad	Office
3	Dispensary D-3/5/8 and Branch Office Dariapur, O/S Dariapur Darwaja, Dariapur, Ahmedabad	Dispensary and Office
4	Dispensary D-6, B/H Municipal School, Girdharnagar, Ahmedabad	Dispensary and Residential
5	Dispensary D-1, National high way road, Sabarmati, Ahmedabad	Dispensary
6	Dispensary D-42 and Branch Office City, Near Municipal Bus Stand, Paldi, Ahmedabad.	Dispensary, Office and Residential
7	E.S.I.C. Residential Colony, Shreyas Tekara, Ambawadi, Ahmedabad	Residential
8	E.S.I.C. Acher Staff Quarters, D-1 compound, Sabarmati, Ahmedabad	Residential

Scope of Works/Services:

The agency will be responsible for Repair and Maintenance of following categories of work:

- 1. Attending blockage of drain pipes, gully traps, Floor traps and manholes.
- 2. Attending leakage from taps and valves, sanitary fixtures, fixtures for water supply.
- 3. Cleaning of shafts and keeping the same functional round the clock
- 4. Attending to rectification of mal-functioning fittings on doors/windows etc.
- 5. Occasional replacement of broken glass panes of doors and windows.

- 6. Attending rectification of wall plaster and floors in patch work (not large in area/quantity w.r.t. the whole thereof).
- 7. Periodic cleaning and polishing of flooring (as distinct from House Keeping jobs).
- 8. Periodic white washing, colour washing, painting etc
- 9. Painting after completely scrapping the existing finish and preparing the surface a fresh on external and internal surfaces. Re-painting of external/ internal walls, repairs to external/internal plaster as per current CPWD norms.
- 10. Occasional replacement of water supply fittings/sanitary fixtures.
- 11. Periodical cleaning of over-head, underground tanks etc. The date of cleaning to be painted on surface.
- 12. Changing of fly proof mesh in doors
- 13. Windows & ventilators.
- 14. Repair of expansion joints to limited extent.
- 15. All civil work as per requirement for up keeping the building work.
- 16. Carpentry works for doors and windows.
- 17. Replacement of frames, shutters and fittings/ fixture for doors/ windows/ ventilators etc.
- 18. Minor repairs/replacement of flooring, skirting, dado and plaster replacement of glass panes, doors and windows.
- 19. Maintenance of existing garden/plants, watering and trimming work.
- 20. Providing and Planting of new plants/grass cost of plants.
- 21. Any other work covered under the estimate/ rates.

GENERAL CONDITIONS OF CONTRACT

1 **Definitions**

In the Contract (as hereinafter defined) the following words and expressions shall have the meanings hereby assigned to them except where the context otherwise requires:

- (i) **"Employer"** means the Employees' State Insurance Corporation and the legal successors in title to Employees' State Insurance Corporation.
- (ii) **"Engineer"** means the person appointed by Employees' State Insurance Corporation to act as an Engineer for the purpose of the Contract.
- (iii) "Contractor" means an individual or firms (proprietary or partnership) whether incorporated or not, that has entered into contract (with the employer) and shall include his/its heirs, legal representatives, successors and assignees. Changes in the constitution of the firm, if any, shall be immediately brought to the notice of the employer, in writing and approval shall be obtained for continue performance of the contract.
- (iv) "Contract" means the conditions, the Specifications, the Bill of Quantities, the Tender, the Letter of acceptance, the Contract Agreement (if completed) and such other documents as may be expressly incorporated in the Letter of Acceptance or Contract Agreement.(As per Annexure 'G')
- (v) "Specification" means the specification of the works included in the contract and any modification thereof. The items of works shall be executed in strict accordance of CPWD specifications.
- (vi) "Drawings" means all the completion drawings, calculations and technical information of a like nature provided by the Engineer to the Contractor under this contract and all drawings, calculations, samples, patterns, models, Repair/Repairs and Maintenance manuals and other technical information of a like nature submitted by the Contractor and approved by the Engineer.
- (vii) "Bill of Quantities" means the priced and completed bill of quantities forming part of the Tender.
- (viii) "Tender" means the Contractor's priced offer to the Employer for the execution and satisfactory completion of the works and the remedying of any defects therein in accordance with the provisions of the Contract, Specification as accepted by the Letter of Acceptance. The word Tender is synonymous with "Bid" and the words "Tender Documents" with "Bidding Documents".
- (ix) "Letter of Acceptance" means the formal acceptance of the tender by Employees'

- State Insurance Corporation in writing.
- (x) "Contract Agreement" means the contract agreement (if any) referred to in Sub-Clause (1(iv)) of Annexure 'E' and contract agreement as per Annexure 'G'.
- (xi) "Appendix to Tender" means the appendix comprised in the form of Tender annexed to these Conditions.
- (xii) "Commencement Date" means the date on which the Contractor received the notice to start the works.
- (xiii) **"Time for Completion"** means the time period for which the contract has been allowed to be completed by the employer to the contractor.
- (xiv) "Taking Over Certificate" means a certificate issued by employer evidencing successful and satisfactory completion of the awarded work as per contract agreement.
- (xv) "Contract Price" means the sum stated in the Letter of Acceptance as payable to the Contractor for the execution and completion of the Works and the removing of any defects therein in accordance with the provisions of the Contract.
- "Extra Item Price" Any items of works required to be executed in the interest of ESIC (xvi) but this item not available in the contract agreement shall have to be executed by the contractor as item without anv objection. an extra The proposed extra item if available in DSR'2014, the rates will be calculated on the basis of DSR' 2014 rates plus applicable Cost Index. Otherwise rates of this item will be analyzed on the basis of prevailing market rates plus 15% contractors profit and over heads and the same has to be accepted by contractor without any objection.
- (xvii) **"Retention Money"** means the aggregate of amount retained by the Employer as Security Deposit.
- (xviii) **"Works"** means the Permanent Works and the Temporary Works or either of them to be executed in accordance under the contract and contract specifications.
- (xix) "Site" means the places provided by the Employer to the Contractor.
- (xx) "Cost" means all expenditure properly incurred or to be incurred, whether on or off the Site, including over head and other charges but does not include any allowance for profit.
- **2. Period of Contract:** The Contract shall initially be for a period of **One year** and may be extended further for one more year subject to satisfactory performance, on the same terms and conditions. The rates approved shall remain unchanged during the period of contract. ESIC, reserves the right to terminate the contract by serving one month's notice, in writing. The Contract can be terminated by giving one month notice by either party.

3. Custody and Supply of Drawings and Documents

The Drawings shall remain in the sole custody of the Employer/Engineer, but copies as required thereof shall be provided to the Contractor for free solely for the purpose of this contract.

4. Sufficiency of Tender

The Contractor shall be deemed to have based his Tender on the data made available by the Employer and on his own inspection and examination of this site conditions. The acceptance of tender is deemed to have visited the site and made themselves conversant with the type of works incorporated in this tender.

5. Contractor's Employees

The Contractor shall provide qualified and experienced technical staff on site of work in connection with the Works and for remedy of any defects therein.

6. Engineer at Liberty to Object

The Engineer shall be at liberty to object, to remove forthwith from the Works, any person provided by the Contractor who, in the opinion of the Engineer, misconducts himself, or is incompetent or negligent in the proper performance of his duties, or whose presence on site is otherwise considered by the Engineer to be undesirable, and such person shall not be again allowed upon the Works without the consent of the Engineer. Any person so removed from the Works shall be replaced immediately.

7. Safety, Security and Protection of the Environment

The Contractor shall, throughout the execution and till completion of the Works and the remedying of any defects therein:

- (i) Have full regard for the safety of all persons entitled to be upon the site and keep the site (so far as the same is under his control) and the Works (so far as the same are not completed or occupied by the Employer) in an orderly state appropriate to the avoidance of danger to such persons, and
- (ii) Provide and maintain at his own cost all lights, guards, fencing, warning signs and watching, when and where necessary or required by the Engineer or by any duly constituted authority for the protection of the Works or for the safety and convenience of the public or others, and
- (iii) Take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others, resulting from pollution, noise or other causes arising as a consequence of his methods of doing work activities under the contract.

(iv) All safety rules prescribed by the Government shall be strictly observed to execute the work and safety of manpower deployed.

8. (A) Insurance of work by the Contractor for his liability:

- (i) During the execution of the work any loss or damage to the property and life of his employee arising from a cause for which contractor is responsible.
- (ii) For loss or damage occasioned by the Contractor in the Course of any work carried out by him for the purpose of complying with his obligations.
- (iii) It shall be the responsibility of contractor to notify the Insurance Company of any charge in the nature and extent of the works and to ensure the adequacy of the Insurance cover at all times during the period of contract.

(B) Damage to Persons and Property

The Contractor shall, except if and so far as the Contract provides otherwise, indemnify the Employer against all losses and claims in respect of :

- (a) Death of or injury to any person, or
- (b) Loss or damage to any property (other than the Works):

Which may arise out of or in consequence of the Repair and Maintenance of the works and the remedying of any defects therein, and against all claims, proceedings, damages, costs, charges and expenses whatsoever in respect thereof.

9. Accident or injury to Workmen

The Employer shall not be liable for or in respect of any damages or compensation payable to any workman under Compensation – Act for death or injury resulting from any act or default of the contractor. The contractor shall indemnify and keep indemnified the Employer against all such damages and compensation and expenses whatsoever in respect thereof or in relation thereto.

10.1 Evidence and Terms of Insurance

The contractor shall take out appropriate insurance to cover his work and workers and staff employed by him fully. The contractor shall provide evidence to the Engineer/Employer as soon as practicable after the respective insurance have been taken out

but in any case prior to the start of work at the Site that insurance required under the Contract have been effected.

10.2 Compliance with Statutes and Regulations:

The Contractor shall conform in all respects, including by the giving of all notices and the paying of all fees, with the provision of :

- (a) Any National or State Statute, Ordinance, or other Law, or any regulation, or bye-law of any local or other duly constituted authority in relation to the execution and completion of the Works and the remedying of any defects therein, and
- (b) The rules and regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the Works, and the Contractor shall keep the Employer indemnified against all penalties and liability of every kind for breach of any such provision.
- (c) Any changes required for approval due to revision of the local laws.

11. Default by contractor in Compliance

In case of default on the part of Contractor in carrying out such instruction within the time specified therein or, if none, within a reasonable time, the Employer shall be entitled to employ and pay other persons to carry out the same and all costs consequent thereon or incidental thereto shall, be determined by the Engineer and shall be recoverable from the Contractor by the Employer, and may be deducted by the Employer From any payments due, or to become due, to the Contractor and the Engineer shall notify the Contractor accordingly.

12. Time for Completion

The time limit of work shall be as mentioned in the letter of commencement and shall start from the date of issue of letter.

13. Extension of Time for Completion

The extension of the period can only be granted on the valid and unavoidable grounds by the competent authority if he satisfies himself on the ground mentioned.

13.1 Termination of Contract:

The employer reserves it's right to terminate the contract/works by giving 15 days notice at any time during currency of the contract if the services of the agency are not found satisfactory as

per the opinion of employer or his representative for which no claim or compensation shall be entertained by the Employer.

14. Defect Identification and its rectifications

Agency shall immediately attend the defects after getting intimation at site. Defect Liability period shall be six months from the date of completion of work under Bill Of Quantities for measurable works. The contractor shall rectify at his own expenses, any defect in the work carried out by him during this period. On failure of the contractor to do so, the same shall be completed by the Employer at the risk and cost of the contractor.

15. Penalty for Delay

If the Contractor fails to complete the work in time then the employer can impose liquidated damages on the contractor @ 1% per day maximum of 10 % of estimated cost.

16. Contractor's Failure to Carry out Instructions

In case of default on the part of the Contractor in carrying out defect rectification works, the Employer/Engineer shall be entitled to employ and pay other persons to carry out the same and if such work, in the opinion of the Engineer, the Contractor was liable to do at his own cost under the Contract, then all costs consequent thereon or incidental thereto shall be determined by the Engineer and shall be recoverable from the Contractor by the Employer, and may be Deducted by the Employer from any payment due or to become due to the Contractor.

17. Instruction for Variations

Quantities given in the Bill of Quantity may increase or decrease from the provision of contract quantity being estimated quantities. The quantity of any particular item may vary to any extent. Variation in quantity in particular items or overall cost, does not entitle contractor to claim for any extra cost.

18. Method of Measurement

The works shall be measured net, notwithstanding any general or local custom, except where otherwise provided in the Contract. The method of measurements shall be followed as per the CPWD Norms / Specifications.

19. CERTIFICATES AND PAYMENTS

The contractor shall submit a bill in three copies by 7th of each month for the work executed up to the date of previous month in the tabulated form approved by the Engineer .The bill must be supported with the following documents.

- (i) Abstract of Cost for Part- A, B, and C
- (ii) Measurement of the works for the items under Part- A, B and C
- (iii) Copy of Attendance Sheet of Staff engaged under Part- A
- (iv) Complaint Registration form (Enclosure- I) duly singed by complainant on satisfactory work completion.

20.1 Deduction of Income Tax

The amount to be deducted towards the income tax shall be at the rate applicable.

20.2 Labour welfare cess @ 1.0 (One) percentage on the work done shall be deducted from the each bill.

21. Performance Guarantee:

Within two weeks of issue of letter of intent of work, the Contractor shall submit a Performance Security Bank Guarantee Bond for proper performance of the Contract in the format Enclosure-III. The Performance guarantee shall be valid for the duration of the contract period plus 60 days.

The performance security can be encased by the Employer to recover any amount which is payable by the contractor to the Employer on any account for a cause arising out of the contract.

22. Correction of Certificates:

The Engineer may have issued any Interim Payment Certificate, the correction or modification in any previous Interim Payment Certificate which has been issued by him, and shall have authority, if any work is not being carried out to his satisfaction, to omit or to reduce the value of such work in any Interim Payment Certificate.

23. Final Certificates:

Within 28 days after receipt of the Final Statement, and the written discharge, the Engineer shall issue to the employer (with a copy to the contractor) a Final Certificate stating:

(a) The amount which, in the opinion of the Engineer, is finally due under the Contractor, and

(b) After giving credit to the Employer for all amounts previously paid by the employer and for all sums to which the Employer is entitled under the contract.

24. Default of Contractor:

If the performance of the contract is not satisfactory and not corrected within 15 days of receiving notice, then employer shall be at liberty to terminate the contract and get the work executed through other means at the risk and cost of the Contractor.

25. Amicable Settlement of Dispute:

The party shall use their best efforts to settle amicably all disputes arising out of or in connection with this contract or the interpretation thereof.

26. Arbitration:

Any dispute and differences relating to the meaning of the specifications, designs, drawings and instructions herein before mentioned and as to the quality of workmanship of materials used in the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions or these conditions or otherwise concerning the works or the execution of failure to execute the same whether arising during the progress of the work or after the completion or abandonment thereof in respect of which amicable settlement has not been reached shall be referred to the Sole Arbitrator appointed by the Chief Engineer, Employees' State Insurance Corporation, who shall proceed as per the Arbitration Act, 1996.

- **27.1** The Work under the contract shall continue, during the Arbitration proceedings.
- **27.2** The award of the Arbitrator shall be final, conclusive and binding on both the parties.

28. Payment on Termination:

In the event of termination of the contract, employer shall be at liberty to get balance work done at the risk and cost of the contractor and due payment of the contractor, if any, shall be released after the completion of whole of the works.

	Regional Director,
	Employees' State Insurance Corporation, Ahmedabad.
Sign of Contractor :	
	10 D a a a

Date :	
Place:	

ANNEXURE-'F'

Special Conditions of Contract

- •• CPWD specifications shall be followed. Where not available, BIS/Engineering practice as directed by the Engineer shall be followed. The materials shall be got approved prior to its use for work from the Engineer-In Charge of the ESIC.
- ••Only class one bricks, fine and coarse sand, reputed brand of cement bag and TMT steel bars should be used in materials.
- ••□Only Class-I reputed brand and ISI marked materials would be used in repair work of civil works. If material used is not required quality, it will be treated as violation of the contract by contractor.
- •• Agency should maintain all statutory records and registers.
- •• Agency will ensure all labour law compliance at contract cost of all labour or concerned worker in respect of the ESI, PF and any other statutory compliance.
- ••□Agency shall deduct ESI and EPF as required by law in respect of all employees (including sewer men/sweeper/plumber/Gardner/mason/carpenter/helper) engaged by it and shall submit supporting records of previous month while submitting bill of current month.
- •• Complaints shall be made in the complaint registration form (Annexure-H) and satisfactory completion of the complaint shall be got signed by the complainant.
- ••□Repair and Maintenance complaint register in the format (Annexure -I) shall be maintained by contractor in which all complaint received shall be documented and which shall be periodically verified by Engineer.
- ••□All Repair and Maintenance related complaints shall be attended as early as possible but not later than 24 Hrs of the complaint failing which a recovery as deemed fit by engineer shall be made from the subsequent payment certificate of the contractor.
- •• The Sewer man shall ensure that all lines are maintained in a clean condition by carrying out preventive cleaning.

- ••□Formats of Performance Guarantee and Contract Agreement are at Enclosure III and Annexure D respectively.
- ••□As the work will have to be carried out in building and area in use the contractor shall ensure
- (a) That the normal functioning of Employees' State Insurance Corporation activity is not effected as far as possible.
- **(b)** That the work is carried out in an orderly manner without noise and obstruction to flow of traffic.
- (c) That all rubbish etc. is disposed off at the earliest and the place is left clean and orderly at the end of a each day's work.
- (d) The work should be carried out by the qualified worker for their part of work. He shall be responsible for their conduct. The staff should behave in a courteous manner. The contractor shall be held responsible for any loss or damage to Employees' State Insurance Corporation property.
- **(e)** The contractor shall ensure safety of his workers and others at site of work and shall be responsible for any consequence arising out of execution of the Repair and Maintenance work.
- **(f)** When instructed to do so, the contractor shall ensure proper record keeping and storing of irreparable/dismantled material.
- **(g)** Water and electricity required for works under contract shall be made available free of cost at nearby source and work and the contractor has to make his own arrangement for use of the same including extending temporarily lines etc. The responsibility for following relevant rules, regulations and loss in the regard shall be entirely that of the contractor.

Sign of	Contractor:	
Date :		
Place:		

Regional Director, Employees' State Insurance Corporation, Ahmedabad

Annexure-'G'

CONTRACT AGREEMENT

Corpo	This CONTRACT (hereinafter called the "Contract") is made on the day of the month of					
WHE	REAS					
The	Client	has	accepted	the	offer	of
AND requi service Agree	under Employees' State Insurance Corporation, Regional Office, Ahmedabad. AND WHEREAS The Contractor, having represented to the client that they have the required professional skills, personnel and technical resources, have agreed to provide the services and execute the works on the terms and conditions set forth in this Contract Agreement. Now therefore the parties hereto/hereby agree as follows: 1.0 The following documents attached hereto shall be deemed to form an integral part of					
this contract :						
1	Notice Inviting Tende	er & Instructio	ns to the Tendere	rs	Annexu	ıre 'A'
(Instructions read and complied/Terms and Conditions Accepted) (Sign and seal of Bidder)						

2	Eligibility Condition	Annexure 'B'
3 Scope of work Annexure		Annexure 'D'
4	General Conditions of Contract	Annexure 'E'
5	Special conditions of contract	Annexure 'F'
6	Financial Bid	

- <u>2.0</u> The mutual rights and obligations of the Employer and the Contractor shall be as set forth in the contract in particular:
- a The Contractor shall carry our the services in accordance with the provisions of the contract and,
- b The Client shall make payments to the contractor in accordance with the provisions of the contract.

In witness whereof, the parties hereto have caused this contract to be signed in their respective names as of the day and year first above written.

Signature of Contractor

Regional Director, Employees' State Insurance Corporation, Ahmedabad.

Dated..... at Ahmedabad

COMPLAINT REGISTRATION FORM

Sr. No.	Particulars	Details
1	Date and Time of registering Complaint	
2	Docket Number :(To be given by	
	contractor to complainant)	
3	Name/Designation and Address of	
	Complainant	
4	Signature of Complainant	
5	Nature of Complaint (Estimated Details of	
	work to be done and material to be used)	
6	Name, Designation and signature of the	
	person attending complaint on behalf of	
	contractor	
7	Date and time of attending complaint (to	
	be filled by complainant)	
8	Signature of Complainant after completion	
	of work	

It is Certified that the complaint has been	satisfactorily attended	and the materials utiliz	ed, along with
specification and quantity, are as under:			

Signature of Contractor or his representative Signature of A.E./J.E (Civil)

Date:

(To be submitted along with running bills)

REPAIR AND MAINTENANCE COMPLAINT REGISTER

Sr.NO./Docket Number	Date & Time of receipt of complaint	Detail of Complaint	Nature of Complaint	Complaint attended Date & Time	Remarks	Signature of Contractor

FORM OF PERFORMANCE SECURITY BANK GUARANTEE BOND

In consideration of the Employees' State Insurance Corporation having agreed under the terms and conditions of the Agreement no
production of irrevocable bank guarantee for Rs
1. We(hereinafter referred as to "The Bank" hereby) (indicate the name of the bank) Undertake to pay to the Employees' State Insurance Corporation an amount not exceeding Rs(Rs
2. We
3.We, the said bank further undertake to pay to the Employees' State Insurance Corporation any money that is demanded notwithstanding any dispute or disputes raised by the Second Party in any suit or proceeding pending before any court or Tribunal relating thereto, a liability under this present being absolute and unequivocal.
The payment so made by us under this bond shall be a valid discharge of a liability for payment there under and the Second Party shall have no claim against us making such payment.
4. We further agree that the guarantee herein contained shall remain in full force and effect during the period that would taken for the performance of the said agreement and that it shall continue to enforceable till all the dues of the Employees' State Insurance Corporation under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or Engineer-in-charge on behalf of the Employees' State
ts claims satisfied of discharged of Engineer-in-charge of behalf of the Employees State

fully and properly carried out by the said Second Party and accordingly discharges this guarantee.
State Insurance Corporation that, the Employees' State Insurance Corporation shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Employees' State Insurance Corporation against the said Second Party and to bear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said contractor or for any forbearance, act of omission on the part of the Employees' State Insurance Corporation or any indulgence by the Employees' State Insurance Corporation to the said contracts or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.
6. This guarantee will not be discharged due to the change in the constitution of the Bank of the contractor,
7. We lastly undertake not to revoke this guarantee except with the previous consent of the Employees' State Insurance Corporation in writing.
8. This guarantee shall be valid up to
Dated the Day of
For(indicate the name of Bank)

Insurance Corporation certified that the terms and conditions of the said agreement have been

TECHNICAL BID PERFORMA

GENERAL INFORMATION

NAME OF THE AGENCY/FIRM ALONG	
WITH ADDRESS AND TELEPHONE	
/MOBILE NO AND E-MAIL ADDRESS	
NAME OF OWNER/ALL PARTNERS/ALL	
DIRECTORS	
TYPE OF FORMATION	
(Proprietorship/ Partnership / Pvt.	
Ltd/Ltd.)	
BANK ACCOUNT NUMBER WITH	
BANKER'S NAME AND ADDRESS	

STATUTORY AND OTHER REQUIREMNTS:

1. REGISTRATION DETAILS: (Enclose Copy of registration certificate)

Statute	Registration Number	Copy Enclosed (Yes/No)
Registration details as Civil		
contractor registered with		
C.P.W.D.s /State		
P.W.D.s./M.E.S./Railways/BSNL		
Civil wing or any other government		
body (along with year of		
registration)		
E.S.I. Act, 1948		
E.P.F.M.P. ACT, 1952		
Service Tax Registration		
PAN NO. UNDER INCOME TAX ACT		
PROFESSIONAL TAX REGISTRATION		
Sales Tax/VAT/TIN, whichever is		
applicable		

ISO Certificate	
Registration certificate in respect of	
Central Labour Act 1970 & Contract	
Labour Central Rule 1970	

2. Copies of Income Tax Return for FY 2012-13, FY 2013-14 and FY 2014-15 along with Income Tax Clearance Certificate:

Financial	Income Tax Return	Income Tax Clearance Certificate Enclosed
Year	Enclosed (Yes/No)	(Yes/No)
2012-13		
2013-14		
2014-15		

3. DETAILS OF BALANCE SHEET/P&L ACCOUNT DURING LAST THREE YEAR:

Financial Year	Copy Enclosed (Yes/No)	Income (Rs.)	Expenditure(Rs.)	Net Profit/LO (Rs.)
2012-13				
2013-14				
2014-15				

4. WORK EXPERIENCE (DETAILS OF WORKS EXECUTED AS PER CLAUSE OF ELIGIBILITY CRITERIA IN THE FOLLOWING PERFORMA) :

	Value of Contract (In Rs.)	Duration of Contract		
Address of Organization		From	То	

5. DETAILS OF SATISFACTORY PERFROMANCE CERTIFICATE FROM PSUs/Govt./Semi-Govt. WHERE TENDERER HAS WORKED DURING LAST THREE YEARS:

Name of PSUs/Govt./Semi-Govt.	Period of Contract

6. In house facilities available:

S.No.	Category of works / Fields	Manpower with more than 10 years experience (no. of person)	experience	Manpower with lesser than 5 years experience(no. of person)
1	Original/Repair works(civil)			
	Original/Repair and Repairs and Maintenance of water supply, plumbing & sewerages, drainage.			
3	Civil Works.			
	a. Degree Engineer			
	b. Diploma Engineer			
	c. Helpers			

NOTE:-

Provide attested documents in support of the details provided like Degree/Dip. Certificate, letter of appointment & pay scale etc. in above format, failing which the authenticity of the information may not be accepted.

Sign of	Contractor:	
Date :		
Place:		

EXPERIENCE OF COMPANY

Experience of similar work of construction, Annual Repair and Maintenance completed during last three years preceding June 2016, details of completed and ongoing works, works tendered for etc. Use separate sheet for each work.

1	Project title & Location :	
2	Name of the Client and Address:	
	Describe area of participation (Specific Work done/services rendered by the applicant)	
	Period of work Done/Services rendered for the project	
	Total cost of work of Annual Repairs and Maintenance for Civil works	
6	Date of start of the work and the present status	
7	Any other details	

NOTE:-

Supporting authenticated documents, like certificates from the client in support of each of the above works/project to be furnished in original when asked for.

Sign of	Contractor :	 	
Date :			
Place:			

MANPOWER DEPLOYMENT SCHEDULE

A. The following manpower is to be deployed in daily shifts as mentioned shifts as mentioned against each:

S.N.	Category	Nos.	Monthly Expected Deployment	Shift details	Remarks
1	Plumber	One	30 days	10.00 to 18.00 hrs.	
2	Helper	One	30 days	10.00 to 18.00 hrs.	Assist for all category as and when required
3	Sewer man/Sweeper	Two	30 days	10.00 to 18.00 hrs.	
4	Gardener	Two	30 days	10.00 to 18.00 hrs.	
5	Carpenter	One	15 days	10.00 to 18.00 hrs.	
6	Mason	One	15 days	10.00 to 18.00 hrs.	

- (B). Only licensed category of workers shall be deployed. Preferably the other skilled worker deployed shall also be licensed. License or other certificates of technical qualification to be enclosed.
- (C) All the above staff of the contract shall wear uniform and badges identifying their category and name in English and local language.



GUJARAT REGIONAL OFFICE EMPLOYEES' STATE INSURANCE CORPORATION

(Ministry of Labour & Employment, Government of India)
Panchdeep Bhavan, Ashram Road, Ahmedabad (Gujarat)-380014

Phone: 079-27582400/450 Fax: 079-27540498
Web Site: www.esicgujarat.in, E-mail: rd-gujrat@esic.in

Re-e-TENDER FOR "ANNUAL REPAIRS AND MAINTENANCE (Civil) FOR ESIC BUILDINGS AHMEDABAD GROUP-I"

FIN	IANCIAL BID	
Issued to :		
Issued on :		
	Issu	ed by:-
		-sd-
	(Regiona	al Director)

TENDER AMOUNT SUMMARY

Name	Name of Work : Annual Repairs and Maintenance of Civil works (Group-I) for ESIC buildings, Ahmedabad		
Part	Description	Amount	
A	Maintenance Staff Engagement		
В	Measurable Item Rate Quantity		
С	Items rate of materials to be supplied to the maintenance staff engaged		
	Total		

In words Rs.	
--------------	--

Corrections _	Nos.
Over written	Nos.
Additions	Nos.
Ommissions _	Nos.

PART-A

SCHEDULE FOR MAINTENANCE STAFF ENGAGEMENT

Name of Work: Annual Repairs and Maintenance of Civil works (Group-I) for ESIC buildings, Ahmedabad

Sr. No.	Description of Item and Staff	Nos.	Monthly expected deployment	Rate per day	Amount per month	Amount per year
1	Supply and services of workers in shifts as per the manpower schedule format III. For attending to Repairs and Maintenance works to ESIC buildings, Staff Quarters as per the list in the bid document with all required tools and plants required for attending complete works. The agency has to attend all the complaints given by authorized persons in writing in complaint registration form (Enclosure-I with bid document) and satisfactory work completion report shall be obtained from them duly signed and submitted alongwith a monthly bill for vefification by the					
(i)	Plumber	1 Nos.	30 days			
(ii)	Helper	1 Nos.	30 days			
(iii)	Sewer Man/Sweeper	2 Nos.	30 days			
(iv)	Gardener	2 Nos.	30 days			
(v)	Carpenter	1 Nos.	15 days			
(vi)	Mason	1 Nos.	15 days			

Total Rs.

In words Rs.		

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ummissions	Nns

PART- B

Measurable Item Rate Quantity

Name of Work : Annual Repairs and Maintenance Civil works (Group-I) for ESIC buildings, Ahmedabad

SI. No.	Description of Item	Quanti	ity	Rate (Rs)	Unit	Amount (Rs)
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.					
a)	All kinds of soil.	70.00	Cum		One Cubic Metre	
2	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth up to 1.5 m, including getting out the excavated soil, and then returning the soil as required, inlayers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m:					
a)	All kinds of soil					
(i)	Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	120.00	m		One Running Metre	
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.		Cum		One Cubic Metre	
4	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift upto1.5 m.					

Nos.
Nos.
Nos.
Nos.

a)	All kinds of soil.	200.00	Sqm	100	
				Square	
5		F000 00	Causa	Metre	
5	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and		Sqm	100 Square	
	saplings of girth up to 30 cm measured at			Metre	
	a height of 1 m above ground level and				
	removal of rubbish up to a distance of				
	50m outside the periphery of the area cleared.				
6	Diluting and injecting chemical emulsion				
	for POST-CONSTRUCTIONAL anti- termite				
	treatment (excluding the cost of chemical				
- 1	emulsion):				
a)	Treatment of soil under existing floors using chemical emulsion @ one litre per				
	hole, 300 mm apart including drilling 12				
	mm diameter holes and plugging with				
	cement mortar 1 :2 (1 cement : 2 Coarse				
	sand) to match the existing floor :				
(i)	With Chlorpyriphos/Lindane E.C. 20% with	200.00	Sqm	One	
	1% concentration.			Square	
				Metre	
7	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti- termite				
	treatment (excluding the cost of chemical				
	emulsion):				
a)	Treatment at points of contact of wood	100.00	m	One	
	work by chemical emulsion Chlorpyriphos/			Running	
	Lindane (in oil or kerosene based solution) @ 0.5 litres per hole by drilling 6 mm dia			Metre	
	holes at downward angle of 45 degree at				
	150 mm centre to centre and sealing the				
	same.				
8	Providing and laying in position cement				
	concrete of specified grade excluding the				
	cost of centering and shuttering - All work				
	up to plinth level :				
a)	1:2:4 (1 cement : 2 coarse sand : 4 graded	8.00	Cum	One	
[stone aggregate 20 mm nominal size)			Cubic	
				Metre	
b)	1:5:10 (1 cement : 5 fine sand : 10 graded	4.00	Cum	One	
	stone aggregate 40 mm nominal size)			Cubic Metre	
				ivietie	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Nmmissions .	Nns

9	Centering and shuttering including				
	strutting, propping etc. and removal of form work for :				
a)	Foundations, footings, bases for columns.	15.00	Sqm	One	
				Square	
10		25.00	C	Metre	
10	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3	25.00	Sqm	One Square	
	coarse sand : 6 graded stone aggregate 20			Metre	
	mm nominal size) over 75mm thick bed of				
	dry brick ballast 40 mm nominal size, well				
	rammed and consolidated and grouted				
	with fine sand, including finishing the top smooth.				
	Sillouti.				
11	Providing and laying in position specified				
	grade of reinforced cement concrete,				
	excluding the cost of centering, shuttering, finishing and reinforcement -				
	All work up to plinth level :				
a)	1:2:4 (1 cement : 2 coarse sand : 4 graded	3.00	Cum	One	
	stone aggregate 20 mm nominal size)			Cubic Metre	
12	Providing precast cement concrete Jali			Wietre	
	1:2:4 (1 cement : 2 coarse sand : 4 graded				
	stone aggregate 6mm nominal size), reinforced with 1.6 mm dia mild steel				
	wire, including centering and shuttering,				
	roughening cleaning, fixing and finishing				
	in cement mortar 1:3 (1 cement: 3 fine				
	sand) etc. complete, excluding plastering				
	of the jambs, sills and soffits.				
a)	40 mm thick	2.00	Sqm	One	
				Square	
13	Steel reinforcement for R.C.C. work			Metre	
13	including straightening, cutting, bending,				
	placing in position and binding all				
	complete up to plinth level.				
a)	Cold twisted bars	100.00	Kg	One	
		_55.56	0	Kilogram	
14	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation				
	7.5 in foundation and plinth in:				

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Nmmie einne	Nne

a)	Cement mortar 1:6 (1 cement : 6 coarse sand)	10.00	Cum	One Cubic Metre	
15	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
a)	Cement mortar 1:6 (1 cement : 6 coarse sand)	10.00	Cum	One Cubic Metre	
16	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
a)	Cement mortar 1:4 (1 cement :4 coarse sand)	15.00	Sqm	One Square Metre	
17	Providing and fixing 18mm thick gang saw cut mirror polished premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20mm thick base cement mortar 1:4 (1 cement : 4 coarse sand) joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.				
a)	Granite of any colour and shade				
(i)	Area of slab over 0.50 sqm.	5.00	Sqm	One Square Metre	
18	Providing edge moulding to 18mm thick marble stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
a)	Granite work.	5.00	metre	One Running Metre	

Nos.
Nos.
Nos.
Nos.

	T	1		1	
19	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin basedadhesive, including cleaning etc. complete.		metre	One Runnii Metr	ng
20	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/Granite / stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.		No.	Each	
21	Mirror polishing on marble work/Granite work/stone work where ever required to give high gloss finish complete		Sqm	One Squar Metr	e
22	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
a)	Sal wood	0.30	Cum	One Cubio Metr	
23	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
a)	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	20.00	Sqm	One Squar Metr	e
24	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).		Sqm	One Squar Metr	e

Nos.
Nos.
Nos.

25	Providing and fixing curtain rods of 1.25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C.P. brass screws and wooden plugs, etc., wherever necessary complete:				
a)	25 mm dia.	20.00	m	One Running Metre	
26	Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.63 mm all complete.				
a)	With 2nd class teak wood beading 62X19 mm.	5.00	Sqm	One Square Metre	
27	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete:				
a)	250x16 mm	10.00	No.	Each	
28	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete:				
a)	200x10 mm	10.00	No.	Each	
b)	150x10 mm	10.00	No.	Each	
29	Providing and fixing ISI marked oxidised M.S. door latches conforming to IS:5930 with screws etc. complete:				
a)	250x20x6 mm	10.00	No.	Each	
30	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete:				
a)	125 mm	10.00	No.	Each	
b)	100 mm	10.00	No.	Each	
31	Providing and fixing IS: 12817 marked stainless steel butt hinges with stainless steel screws etc. complete:				
a)	100X58X1.90 mm	20.00	No.	Each	
_					

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Nmmissinns	Nns

32	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm) with necessary accessories and screws etc. complete.	3.00	No.	Each	
33	Providing and fixing chromium plated brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	3.00	No.	Each	
34	Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete:				
a)	250x16 mm	10.00	No.	Each	
35	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete:				
a)	200x10 mm	10.00	No.	Each	
b)	150x10 mm	10.00	No.	Each	
36	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :				
a)	125 mm	10.00	No.	Each	
b)	100 mm	10.00	No.	Each	
37	Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868)transparent or dyed to required colour and shade with necessary screws etc. complete.				
a)	Twin rubber stopper	10.00	No.	Each	
38	Providing and fixing to existing door frames.				

Nos.
Nos.
Nos.

- \	20 mans think forton mark Dal 1	F 00	C	1	0: :	
a)	30 mm thick factory made Polyvinyl	5.00	Sqm		One	
	Chloride (PVC) door shutter made of styles				Square	
	and rails of a uPVC hollow section of size				Metre	
	60x30 mm and wall thickness 2 mm (± 0.2					
	mm), with inbuilt decorative moulding					
	edging on one side. The styles and rails					
	mitred andjoint at the corners by means					
	of M.S. galvanised/ plastic brackets of size					
	75x220 mm having wall thickness 1.0 mm					
	and stainless steel screws. The styles of					
	the shutter reinforced by inserting					
	galvanised M.S. tube of size 25x20 mm					
	and 1 mm (± 0.1 mm) wall thickness. The					
	lock rail made up of 'H' section, a uPVC					
	hollow section of size 100x30 mm and 2					
	mm (± 0.2 mm) wall thickness fixed to the					
	shutter styles by means of plastic/					
	galvanised M.S. 'U' cleats. The shutter					
	frame filled with a uPVC multi-chambered					
	single panel of size not less than 620 mm,					
	having over all thickness of 20 mm and 1					
	mm (± 0.1 mm) wall thickness . The panels					
	filled vertically and tie bar at two places					
	by inserting horizontally 6 mm galvanised					
	M.S. rod and fastened with nuts and					
	washers, complete as per manufacturer's					
	· · · · · · · · · · · · · · · · · · ·					
	specification and direction of Engineer-in-					
39	Providing and fixing factory made P.V.C.	10.00	m		One	
	door frame of size 50x47 mm with a wall				Running	
	thickness of 5 mm, made out of extruded				Metre	
	5mm rigid PVC foam sheet, mitred at					
	corners and joined with 2 Nos of 150 mm					
	long brackets of 15x15 mm M.S. square					
	tube, the vertical door frame profiles to					
	be reinforced with 19x19 mm M.S. square					
	tube of 19 gauge, EPDM rubber gasket					
	weather seal to be provided through out					
	the frame. The door frame to be fixed to					
	the wall using M.S. screws of 65/100 mm					
	size, complete as per manufacturer's					
	specification and direction of Engineer-in-					
	Charge.					

Nos.
Nos.
Nos.

40	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32 mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2 mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady] the frame.	10.00	m	One Running Metre	
41	Providing and fixing to existing door frames.				
a)	30 mm thick Fiberglass Reinforced Plastic (F.R.P.) flush door shutter in different plain and wood finish made with fire retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate all around, with suitable wooden blocks inside at required places for fixing of fittings and polyurethane foam (PUF)/Polystyrene foam to be used as filler material throughout the hollow panel, casted monolithically with testing parameters of F.R.P. laminate conforming to table - 3 of IS: 14856, complete as per direction of Engineer-in-charge.	5.00	Sqm	One Square Metre	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

	la		_		1
42	Providing and fixing factory made Fiberglass Reinforced plastics (F.R.P.) chajja 4mm thick of required colour, size and design made by Resin Transfer Moulding (RTM) Machine Technology, resulting in void free compact laminate in single piece, having smooth gradual slope curvature for easy drainage of water and duly reinforced by 2nos. vertically and 1nos. horizontally 50x2mm thick M.S. flat with 12mm in built hole for grouting on the existing wall along with the 50mm flanges duly inserted and sealed in the wall complete in one single piece casted monolithically, including all necessary fittings. The FRP Chajja should be manufactured using unsaturated Polyester resin as per IS:6746 duly reinforced with fibre glass chopped strand mat (CSM) as per IS:11551 complete with protective Gel coat U/V coating on Top for complete resistance from the extreme of temperature, weather & sunlight,		Sqm	One Square Metre	
43	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	100.00	Kg	One Kilogram	
44	Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2mm and braced with flat iron diagonals 20x5mm size, with top and bottom rail of T-iron 40x40x6mm, with 40mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.		Sqm	One Square Metre	
45	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				

Nos.
Nos.
Nos.
Nos.

a)	Using M.S. angels 40x40x6 mm for diagonal braces.	5.00	Sqm	One Square Metre	
46	Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
a)	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	500.00	Kg	One Kilogram	
47	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete.				
a)	40mm thick with 20mm nominal size stone aggregate.	25.00	Sqm	One Square Metre	
48	Cement concrete pavement with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including finishing complete.	5.00	Cum	One Cubic Metre	
49	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
a)	25 mm thick.	20.00	Sqm	One Square Metre	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

50	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.		Sqm	One Square Metre	
51	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS :15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4Coarse sand) including pointing the joints with white cement and matching pigment etc., complete.		Sqm	One Square Metre	
52	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand) including grouting the joints with white cement and matching pigments etc., complete.				
a)	Size of Tile 600x600 mm	100.00	Sqm	One Square Metre	

Corrections .	Nos.
Over written	Nos.
Additions	Nos.
${\tt Ommissions}$	Nos.

53	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer) with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make in all colours & shade in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1cement: 3 coarse sand), including grouting the joint with white cement & matching pigments etc. complete.				
a)	Size of Tile 600x600 mm	5.00	Sqm	One Square Metre	
54	Providing corrugated G.S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.				
a)	0.80 mm thick with zinc coating not less than 275gm/m ²	10.00	Sqm	One Square Metre	
55	Providing gola 75x75mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 stone aggregate 10 mm and down gauge) including finishing with cement mortar 1:3(1 cement : 3 fine sand) as per standard design				
a)	In 75x75mm deep chase	10.00	m	One Running Metre	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

56	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet1mx1mx400micron, finished with 12mm cement plaster 1:3 (1 cement :3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	5.00	No.		Each	
57	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i)Single socketed pipes.					
a)	75 mm diameter	15.00	m	F	One Running Metre	
b)	110 mm diameter	30.00	m	F	One Running Metre	
58	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.					
a)	Coupler					
(i)	75mm	10.00	No.		Each	
(ii)	110mm	10.00	No.		Each	
b)	Single tee with door					
(i)	75x75x75 mm	10.00	No.		Each	
(ii)	110x110x110 mm	10.00	No.		Each	
c)	Bend 87.5°					
(i)	75 mm bend	10.00	No.		Each	
(ii)	110 mm bend	10.00	No.		Each	
d)	Shoe (Plain)					
(i)	75 mm Shoe	5.00	No.		Each	
(ii)	110 mm Shoe	5.00	No.		Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

59	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50mm hardwood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement: 4 coarse sand) and making good the wall etc. complete.				
a)	75 mm	10.00	No.	Each	
b)	110 mm	10.00	No.	Each	
60	Providing & fixing UV stabilised fiberglass reinforced plastic sheet roofing up to any pitch including fixing with polymer coated 'J' or 'L'hooks, bolts & nuts 8mm dia. G.I plain/bitumen washers complete but excluding the cost of purlins, rafters, trusses etc. The sheets shall be manufactured out of 2400 TEX panel rovigs incorporating minimum0.3% Ultraviolet stabiliser in resin system under approximately 2400 psi and hot cured. They shall be of uniform pigmentation and thickness without air pockets and shall conform to IS 10192 and IS 12866.The sheets shall be opaque or translucent, clear or pigmented, textured or smooth as specified.				
a)	2mm thick flat.	10.00	Sqm	One Square Metre	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions .	Nns

61	Providing and applying two coats of High Albedo paint having minimum Solar Reflective Index (SRI) 108 (with solar reflectance & thermal emittance tested as per ASTM) C 1549 and ASTM C 1371 respectively), VOC less than 10 cc/gm. The coating thickness and the methodology of application shall strictly as per manufacturer's specifications and as approved by engineer In charge. Surface preparation includes cleaning with metal wire brush to remove all dust, fungus etc., washing with water all complete. The contractor shall give guarantee for the performance of SRI and also the durability of coating, all complete as per direction of Engineer-in-charge.	5.00	Sqm	One Square Metre	
62	12 mm coment plactor of Mix				
62	12 mm cement plaster of Mix	200.00	Care	055	
a)	1:6 (1 cement: 6 fine sand)	200.00	Sqm	One	
				Square Metre	
63	20 mm cement plaster of mix :			INICLIC	
a)	1:6 (1 cement: 6 fine sand)	300.00	Sqm	One	
,		303.00	-4	Square	
				Metre	
64	12 mm cement plaster finished with a				
	floating coat of neat cement of mix :			 	
b)	1:4 (1 cement: 4 fine sand)	50.00	Sqm	One	
				Square	
				Metre	
65	18 mm cement plaster in two coats under	200.00	Sqm	One	
	layer 12 mm thick cement plaster 1:5 (1			Square	
	cement: 5 coarse sand) and a top layer 6			Metre	
	mm thick cement plaster 1:3 (1 cement: 3 coarse sand) finished rough with sponge.				
	coarse samuj minismeu rough with sponge.				
66	White washing with lime to give an even				
	shade:				
a)	New work (three or more coats)	100.00	Sqm	One	
				Square	
				Metre	
67	Distempering with oil bound washable				
	distemper of approved brand and				
	manufacture to give an even shade.				

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

	•					
a)	New work (two or more coats) over and	500.00	Sqm		One	
	including water thinnable priming coat				Square	
	with cement primer.				Metre	
68	Finishing walls with textured exterior				IVICUIC	
00						
-	paint of required shade :					
a)	New work (Two or more coats applied @	100.00	Sqm		One	
	3.28 ltr/10 sqm) over and including				Square	
	priming coat of exterior primer applied				Metre	
	@2.20kg/10 sqm.					
69	Painting with synthetic enamel paint of					
	approved brand and manufacture to give					
	an even shade :					
- \		20.00	C		0	
a)	Two or more coats on new work.	30.00	Sqm		One	
					Square	
					Metre	
70	Repairs to plaster of thickness 12 mm to]
	20 mm in patches of area 2.5 sq.meters					
	and under, including cutting the patch in					
	proper shape, raking out joints and					
	preparing and plastering the surface of					
	1, , , ,					
	the walls complete, including disposal of					
	rubbish to the dumping ground within 50					
	metres lead :					
a)	With cement mortar 1:4 (1 cement : 4 fine	300.00	Sqm		One	
	sand).		•		Square	
	Surray.				Metre	
71	Making the opening in brick masonry				IVICTIC	
' -						
	including dismantling in floor or walls by					
	cutting masonry and making good the					
	damages to walls, flooring and jambs					
	complete, to match existing surface i/c					
	disposal of mulba/rubbish to the nearest					
	municipal dumping ground.					
	2 h 2 2 2 h 110 0 2 2 m 120					
a)	For door/ window/ clerestory window.	5.00	Sqm		One	
,		5.00	54.11		Square	
					-	
					Metre	
72	Renewing glass panes, with putty and nails					
	wherever necessary including racking out					
	the old putty:					
a)	Float glass panes of thickness 4 mm.	10.00	Sqm		One	
′	- '		•		Square	
					Metre	
b)	Float glass paper of thickness F F mm	5.00	Sam		One	
D)	Float glass panes of thickness 5.5 mm .	5.00	Sqm			
					Square	
					Metre	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

73 Refixing old glass panes with putty and nails. 74 Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even shade:	·
74 Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	·
74 Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	·
74 Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	
based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	
approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	
approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	
the plastered wall surface to prepare the surface even and smooth complete. 75 White washing with lime to give an even	
surface even and smooth complete. 75 White washing with lime to give an even	
75 White washing with lime to give an even	
I shade:	
a) Old work (two or more coats) . 100.00 Sqm One	
Square	
Metre	
76 Removing white or colour wash by 100.00 Sqm One	
scrapping and sand papering and Square	!
preparing the surface smooth including Metre	
necessary repairs to scratches etc.	
complete	
77 Distempering with oil bound washable	
distemper of approved brand and	
manufacture to give an even shade :	
a) Old work (one or more coats) . 10000.00 Sgm One	
Square	!
Metre	
78 Removing dry or oil bound distemper, 10000.00 Sqm One	
water proofing cement paint and the like Square	
by scrapping, sand papering and preparing Metre	
the surface smooth including necessary	
repairs to scratches etc. complete.	
70 Mell pointing with plastic appulator point	
79 Wall painting with plastic emulsion paint	
of approved brand and manufacture to	
give an even shade :	
a) One or more coats on old work. 100.00 Sqm One	
1 ' 1 ' 1 ' 1 ' 1 ' 1 ' 1 ' 1 ' 1 ' 1 '	. [
Square	
Metre	
80 Painting with synthetic enamel paint of	
approved brand and manufacture of	
required colour to give an even shade :	
a) One or more coats on old work. 1000.00 Sqm One	
Square	· [
Metre	
81 Finishing walls with textured exterior	
paint of required shade :	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

a)	Old work (Two or more coats on existing	500.00	Sqm	One	
	cement paint surface applied @ 3.28	223.00	- M.,,	Square	
	ltr/10 sqm.			Metre	
82	Finishing walls with Acrylic Smooth				
	exterior paint of required shade :				
a)	Old work (Two or more coat applied @	1800.00	Sqm	One	
	1.67 ltr/ 10 sqm) on existing cement paint			Square	
	surface).			Metre	
83	Demolishing cement concrete manually/				
	by mechanical means including disposal of				
	material within 50 metres lead as per				
	direction of Engineer - in - charge.				
a)	Nominal concrete 1:3:6 or richer mix (i/c	10.00	Cum	One	
	equivalent design mix)			Cubic	
				Metre	
b)	Nominal concrete 1:4:8 or leaner mix (i/c	5.00	Cum	One	
	equivalent design mix)			Cubic	
				Metre	
84	Demolishing R.C.C. work manually/ by	5.00	Cum	One	
	mechanical means including stacking of			Cubic	
	steel bars and disposal of unserviceable			Metre	
	material within 50 metres lead as per				
	direction of Engineer - in- charge.				
85	Demolishing R.B. work manually/ by	5.00	Cum	One	
	mechanical means including stacking of			Cubic	
	steel bars and disposal of unserviceable			Metre	
	material within 50 metres lead as per				
	direction of Engineer-in- charge.				
86	Demolishing brick work manually/ by				
	mechanical means including stacking of				
	serviceable material and disposal of				
	unserviceable material within 50 metres				
	lead as per direction of Engineer-in-				
	charge.				
a)	In cement mortar	10.00	Cum	One	
				Cubic	
				Metre	
87	Dismantling doors, windows and				
	clerestory windows (steel or wood)				
	shutter including chowkhats, architrave,				
	holdfasts etc. complete and stacking				
	within 50 metres lead :	- 00			
a)	Of area 3 sq. metres and below	5.00	No.	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

a) 89	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: Of area 3 sq. metres and below Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.	5.00	No.	Each	
a)	For thickness of tiles 10 mm to 25 mm	20.00	Sqm	One Square Metre	
90	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge:			Wette	
a)	15 mm to 40 mm nominal bore	25.00	Metre	One Running Metre	
91	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	100.00	Sqm	One Square Metre	
92	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all loads including all lifts involved.		Cum	One Cubic Metre	
93	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete.		Cum	One Cubic Metre	

Nos.
Nos.
Nos.
Nos.

94	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge.		Sqm	One Square Metre	
95	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device(handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
a)	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests.	5.00	No.	Each	
96	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
a)	W.C. pan with ISI marked white solid plastic seat and lid	5.00	No.	Each	
97	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
a)	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps.		No.	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

98	Providing and fixing Stainless Steel A ISI					
	304 (18/8) kitchen sink as per IS 13983					
	with C.I. brackets and stainless steel plug					
	40 mm, including painting of fittings and					
	brackets, cutting and making good the					
	walls wherever required :					
	'					
a)	Kitchen sink with drain board					
(i)	510x1040 mm bowl depth 250 mm.	1.00	No.		Each	
99	Providing and fixing Stainless Steel A ISI					
	304 (18/8) kitchen sink as per IS 13983					
	with C.I. brackets and stainless steel plug					
	40 mm, including painting of fittings and					
	brackets, cutting and making good the					
	walls wherever required :					
a)	Kitchen sink without drain board					
(i)	610x460 mm bowl depth 200 mm.	2.00	No.		Each	
100	Providing and fixing white vitreous china	2.00	NO.		Lacii	
100						
	water closet squatting pan (Indian type)					
2)	Orissa nattorn W.C. nan of size E90v440	5.00	No.		Each	
a)	Orissa pattern W.C. pan of size 580x440	5.00	INO.		EdCII	
101	mm	г 00	Na		Fo ob	
101	Providing and fixing white vitreous china	5.00	No.		Each	
	pedestal type (European type/ wash down					
	type) water closet pan.					
102	Providing and fixing P.V.C. low level					
	flushing cistern with manually controlled					
	device (handle lever) conforming to IS:					
	7231, with all fittings and fixtures					
	complete.					
a)	10 litre capacity - White	2.00			Each	
103	Providing and fixing G.I. inlet connection	5.00	No.		Each	
	for flush pipe connecting with W.C. pan.					
104	Providing and fixing white vitreous china		No.		Each	
	flat back or wall corner type lipped front					
	urinal basin of 430x260x350 mm or					
	340x410x265 mm sizes respectively.					
105	Providing and fixing white vitreous china					
	wash basin including making all			1		
	connections but excluding the cost of					
	fittings:			1		
a)	Flat back wash basin of size 550x400 mm.	5.00	No.		Each	
'		2.20				
106	Providing and fixing 100 mm sand cast	5.00	No.		Each	
	Iron grating for gully trap.	2.30				
				1		

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Nmmis sinns	Nne

	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. Providing and fixing mirror of superior		No.	E	ach
	glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:				
a) 109	Rectangular shape 453x357 mm Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors:	5.00	No.	E	ach
a)	100 mm inlet and 75 mm outlet				
(i)	Sand cast iron S&S as per IS - 3989	5.00	No.	F	ach
110	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.	5.00	No.	E	ach
111	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with a minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms.	2.00	No.	E	ach
112	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.				
a)	600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	2.00	No.	E	ach

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

113	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. :Concealed work, including cutting chases and making good the walls etc.				
a)	15 mm nominal outer dia .Pipes.	50.00	metre	One Running Metre	
b)	20 mm nominal outer dia .Pipes.	40.00	metre	One Running Metre	
c)	25 mm nominal outer dia .Pipes.	30.00	metre	One Running Metre	
d)	32 mm nominal outer dia .Pipes.	5.00	metre	One Running Metre	
114	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge: External work				
a)	25 mm nominal outer dia. Pipes.	15.00	metre	One Running Metre	
b	40 mm nominal outer dia. Pipes.	10.00	metre	One Running Metre	
115	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc.: Internal work – Exposed on wall.				

Nos.
Nos.
Nos.
Nos.

a)	15 mm dia. nominal bore	30.00	metre	One	
				Running	
				Metre	
b)	20 mm dia. nominal bore	20.00	metre	One	
				Running	
				Metre	
c)	25 mm dia. nominal bore	10.00	metre	One	
'				Running	
				Metre	
116	Providing and fixing G.I. pipes complete				
	with G.I. fittings including trenching and				
	refilling etc. : External work				
	Terming etc. : External Work				
a)	25 mm dia. nominal bore	10.00	metre	One	
Ι ,	25 mm did. Hommar bore	10.00	metre	Running	
				Metre	
b	40 mm dia. nominal bore	5.00	metre	One	
l b	40 mm dia. nominai bore	3.00	metre		
				Running	
117	Making connection of C.I. distribution			Metre	
117	Making connection of G.I. distribution				
	branch with G.I. main of following sizes by				
	providing and fixing tee, including cutting				
	and threading the pipe etc. complete :				
— ,					
a)	25 to 40 mm nominal bore	5.00	No.	Each	
118	Providing and fixing gun metal gate valve				
	with C.I. wheel of approved quality				
	(screwed end) :				
a)	25 mm nominal bore	2.00	No.	Each	
b)	40 mm nominal bore	3.00	No.	Each	
119	Providing and fixing ball valve (brass) of				
	approved quality, High or low pressure,				
	with plastic floats complete :				
a)	15 mm nominal bore	1.00	No.	Each	
b)	20 mm nominal bore	1.00	No.	Each	
c)	25 mm nominal bore	1.00	No.	Each	
120	Providing and fixing C.P. brass shower				
	rose with 15 or 20 mm inlet:				
a)	100 mm diameter	25.00	No.	Each	
121	Painting G.I. pipes and fittings with				
	synthetic enamel white paint with two				
	coats over a ready mixed priming coat,				
	both of approved quality for new work :				
	and a spectrum quality for flew work?				
a)	15 mm diameter pipe.	5 00	metre	One	
",	25 diameter pipe.	5.00		Running	
				Metre	
				ivietie	

Nos.
Nos.
Nos.

lo \	20 mans diameter visa	Г 00		0.55	
b)	20 mm diameter pipe.	5.00	metre	One	
				Runnir	-
				Metre	2
c)	25 mm diameter pipe.	5.00	metre	One	
				Runnin	-
				Metre	ġ
122	Providing and placing on terrace (at all	5000.00	Litre	One Lit	re
	floor levels) polyethylene water storage				
	tank ISI: 12701 marked, with cover and				
	suitable locking arrangement and making				
	necessary holes for inlet, outlet and				
	overflow pipes but without fittings and				
	the base support for tank.				
123	Providing and fixing C.P. brass bib cock of				
	approved quality conforming to IS:8931:				
	approved quanty comments.				
a)	15 mm nominal bore.	10.00	No.	Each	
124	Providing and fixing C.P. brass long body				
	bib cock of approved quality conforming				
	to IS standards and weighing not less than				
	690 gms.				
a)	15 mm nominal bore	5.00	No.	Each	
125	Providing and fixing C.P. brass stop cock				
	(concealed) of standard design and of				
	approved make conforming to IS:8931.				
	-				
a)	15 mm nominal bore.	2.00	No.	Each	
126	Providing and fixing C.P. brass angle valve				
	for basin mixer and geyser points of				
	approved quality conforming to IS:8931 a)				
	15 mm nominal bore				
a)	15mm nominal bore	10.00	No.	Each	
127	Providing and fixing PTMT soap Dish	4.00	No.	Each	
	Holder having length of 138 mm, breadth				
	102 mm, height of 75 mm with concealed				
	fitting arrangements. Weighing not less				
	than 106 gms.				
128	Providing, laying and jointing glazed				
	stoneware pipes class SP-1 with stiff				
	mixture of cement mortar in the				
	proportion of 1:1 (1 cement : 1 fine sand)				
	including testing of joints etc. complete:				
a)	100 mm diameter	5.00	m	One	
				Runnir	g
				Metre	-
	<u>[</u>			141001	-

Nos.
Nos.
Nos.
Nos.

b)	150 mm diameter	10.00	m	One Running Metre	
129	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) up to haunches of S.W. pipes including bed concrete as per standard design:				
a)	100 mm diameter S.W. pipe	5.00	m	One Running Metre	
b)	150 mm diameter S.W. pipe	10.00	m	One Running Metre	
130	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design:				
b)	150 x 100 mm size P type.				
(i)	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	5.00	No.	Each	
131	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete:				
a)	300 mm dia. R.C.C. pipe	5.00	m	One Running Metre	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Nmmiceione	Nne

				1		
	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size), inside plastering 12mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement complete as per standard design :					
a)	Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg(weight of cover 23 kg and weight of frame 15 kg):					
(i)	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.00	No.		Each	
133	Extra for depth for manholes					
a)	Size 90x80 cm					
(i)	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	0.30	m		One Running Metre	
134	Dismantling of old S.W. pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps:					
a)	100 mm diameter	5.00	m		One Running Metre	
b)	150 mm diameter	5.00	m		One Running Metre	
135	Supplying and fixing C.I. cover without frame for manholes :					

Corrections	Nos.
Over written _	Nos.
Additions	Nos.
Ommissions	Nos.

a)	455x610 mm rectangular C.I. cover (light duty) the weight of the cover to be not		No.	Each	
	less than 23 kg.				
136	Providing and fixing in position pre-cast				
	R.C.C. manhole cover and frame of				
	required shape and approved quality				
a)	L D- 2.5				
		г оо	No	Fach	
(i)	Rectangular shape 600x450mm internal	5.00	No.	Each	
-	dimensions				
137	Providing and fixing aluminium work for				
	doors, windows, ventilators and partitions				
	with extruded built up standard tubular				
	sections/appropriate Z sections and other				
	sections of approved make conforming to				
	IS: 733 and IS: 1285, fixing with dash				
	fasteners of required dia and size,				
	including necessary filling up the gaps at				
	junctions, i.e. at top, bottom and sides				
	with required EPDM rubber/neoprene				
	gasket etc. Aluminium sections shall be				
	I -				
	smooth, rust free, straight, mitred and				
	jointed mechanically wherever required				
	including cleat angle, Aluminium snap				
	beading for glazing / paneling, C.P. brass/				
	stainless steel screws, all complete as per				
	architectural drawings and the directions				
	of Engineer-in-charge. (Glazing, paneling				
	and dash fasteners to be paid for				
	separately) :				
a)	For fixed portion				
(i)	Powder coated aluminium (minimum	100.00	Kg	One	
(',	thickness of powder coating 50 micron)	100.00	6	Kilogram	
	linekness of powder coating 30 inicion)			Kilografii	
1. 3	En al man of the second				
b)	For shutters of doors, windows &				
	ventilators including providing and fixing				
	hinges/ pivots and making provision for				
	fixing of fittings wherever required				
	including the cost of EPDM rubber /				
	neoprene gasket required (Fittings shall				
	1				
	be paid for separately).				
<u> </u>					
(i)	Powder coated aluminium (minimum	100.00	Kg	One	
	thickness of powder coating 50 micron)			Kilogram	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
[mmissinns	Nos

138	Providing and fixing 12mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				
a)	Pre-laminated particle board with decorative lamination on both sides.	5.00	Sqm	One Square Metre	
139	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
a)	With float glass panes of 5.50 mm thickness	5.00	Sqm	One Square Metre	
140	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P brass/stainless steel screws @ 200mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).		Kg	One Kilogram	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

141	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound@ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b)Second layer of slurry of cement @ 0.242 kg/sqm mixed with waterproofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	5.00	Sqm	One Square Metre	
142	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations:				
	a) Applying a slurry coat of neat cement using 2.75 kg/sqm. of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engineer-in-charge over the RCC slab including adjoining walls up to 300 mm height including cleaning the surface before treatment.				

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

	b) Laying brick bats with mortar using broken bricks/brick bats 25 mm to 115 mm size with 50% of cement mortar 1:5 (1 cement : 5 coarse sand)admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-incharge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement :5 coarse sand) admixed with waterproofing compound conforming to IS : 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs				
	c) After two days of proper curing applying a second coat of cement slurry using 2.75kg/ sqm of cement admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge.				
	d)Finishing the surface with 20 mm thick joint less cement mortar of mix1:4 (1 cement :4 coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-incharge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3mm deep.				
	e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge:				
a)	With average thickness of 120mm and minimum thickness at khurra as 65 mm.	100.00	Sqm	One Square Metre	
143	Grading roof for water proofing treatment with				
a)	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	10.00	Cum	One Cubic Metre	

Nos.
Nos.
Nos.
Nns.

144	Providing and fixing precast cement	100.00	Mtr	One	
	concrete (1:2:4) kerb stones for road and path works with necessary excavation, PCC 1:3:6 bedding, jointing and pointing with CM 1:3 etc. as directed by the Engineer-In-charge. Size 300 mm X 300 mm X 75 mm			Running Metre	
145	Repairing and servicing old rolling shutter including repairing/replacement of tension spring, servicing and refixing the rolling guide in line level greasing the unit including guide for smooth working as directed by Engineer-in-charge complete.	3.00	No.	Each	
146	Triming of trees all round including cutting its branches, disposal of waste and cleaning ground etc complete	10.00	No.	Each	
147	Welding work to existing doors, window, frames etc including the cost of welding machine transportation, welding materials, Labour etc. complete as per the direction of Engineer-in-charge.	20.00	No.	Each	
148	Servicing to collapsible gate shutters with replacing broken / damage part rivets, brassing etc and greasing top and bottom rail, bolts, nuts, locking arrangement etc. complete as directed by Engineer-incharge.	3.00	No.	Each	
149	Providing and placing on terrace (at all floor levels) polyethylene three layer water storage tank with cover and suitable locking arrangement and making necessary holes pipes but without fittings and the base support for tank.	5000.00	No	Ltr	
150	Providing and fixing mosquito PVC net including wooden battens velcron, stiching, fixtures including all labours etc complete	15.00	Sqm	One Square Metre	
151	Providing and fixing stainless steel basket including required fixtures like channel, nut bolts, washers etc. including required labour etc complete.	5.00	No	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

152	D. III. AFRICA CARACTER	5.00	Sqm	One	
	Providing and Fixing G.I. febrics		1	Square	
	(weldmesh) for guniting of size 50 mm X			Metre	
	50 mm and 10 guage i.e. 3.25 mm thick				
	including applying approved anti-corrisive				
	paint scaffoliding etc complete as directed				
153	Gunniting by dry mix process as per IS	5.00	Sqm	One	
	9012 (1978) to vertical surface in masonry/			Square	
	concrete in cm 1:3 50 mm thick under			Metre	
	pressure of 2:1 kg to 2.8 kg per sq.cm				
	including from work scaffolding and				
	finshing to match with the adjoining				
	surface finish etc complete as directed at				
	any level complete				
154	Cleaning of man holes and chambers of				
	_				
	any size including desilting and clening the floor of man holes or chamber and				
	disposal of site from the site complete as per the direction of Engineer-in-charge				
	per the direction of Engineer-in-charge				
	Depth up to 2.50 mtr	50.00		Each	
	Depth more than 2.50 mt	10.00		Each	
155	Providing and laying broken china mosaic	50.00	Sqm	One	
	flooring for terrace using 12 mm to 20 mm			Square	
	thick broken piece of glazed tiles to be laid			Metre	
	over cement mortar 1:3 to plain or slop				
	and to be tempered to bring mortar out up				
	to surface using				
156	Clening of existing drainage lines cast iron				
	or S.W. line by jetspray, flusing or rodding				
	etc complete for smooth flow as per				
	direction of Engineer-in-charge.				
		300.00	mtr	One	
a)	Up to 150 mm dia			Running	
				Metre	
		20.00	mtr	One	
b)	Above 150 mm dia			Running	
1				Metre	
157	Cleanig of under ground and over head				
	water storage tank with pressure jet spray				
	gun, Industrial vaccum pump, U.V.				
	radiation and anti-bacterial agents like				
	Pottassium permanganate (Kmno4) Liquid				
	choride etc complete as per the direction of				
	Engineer-in-charge and marking date of				
	cleaning on the tank with point etc				
	complete job.				
a)	Water tank up to 5000 liters capacity	60.00	No.	Each	

Nos.
Nos.
Nos.
Nns.

b)	Water tanks up to 5001 to 20,000 liters capacity	30.00	No.	Each	
c)	Water tanks above 20,001 liters capacity	10.00	No.	Each	
158	Collection of water samples for physical, chemical and bacteriological test for confirming water portability as per BIS standard in Ahmedabad Municipal Corporation in any Government approved Laboratory as per the direction of Engineer-in-charge	10.00	No.	Each	
			•	Total Rs.	

In words Rs.			
III WULUS IXS.			

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

PART - C

ITEM RATES OF MATERIALS TO BE SUPPLY TO THE STAFF ENGAGED UNDER PART-'A' OF TENDER

Name of Work : Annual Repairs and Maintenance Civil works (Group-I) for ESIC buildings, Ahmedabad

buildings, Ahmedabad						
It. No.	Decscription of Item	Estimat	ed Qty.	Rate/ Unit	Unit	Amount
		Qty.	Unit			
1	Portland Cement	25	bags		one bag(50 kg)	
2	White Cement	20	kg		one kg	
3	Fine Sand	50	bags		one bag(50 kg)	
4	Bricks (F. P. S.)	500	Nos		Each	
5	Kota Stone 25 mm thickness	10	smt		one Square meter	
6	Float glass 4 mm thickness (weight not less than10 kg/smt)	25	smt		one Square meter	
7	kg/smt) Galvanised wire mesh of average widht of aperture 104 mm and nominal dia of wire	20	smt		one Square meter	
8	Door closer Aluminium section body	5	Nos		Each	
9	Galvanise Iron sheet 2 mm thick	10	smt		one Square meter	
10	Plain plywood- 4 mm thick	10	smt		one Square meter	
11	Oxidised M.S. Sliding door bolt 250 X 16 mm	15	Nos		Each	
12	Bright finished or black enameled M.S. butt hinger 100 X 58 X 1 90 mm	20	Nos		Each	
13	Oxidised M.S. tower bolts(barrel type) 100 X 10 mm	10	Nos		Each	
14	Oxidised M.S. Handler 125 mm	30	Nos		Each	
15	Anodised Aluminium Sliding door bolts 250 X 16 mm	30	Nos		Each	
16	Anodised Aluminium tower bolt (barrel type) 200 X 10 mm	20	Nos		Each	
17	Anodised Aluminium handler 125 mm with plate 175 X 32	20	Nos		Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

18	Alluminium floor door stoper	5	Nos	Each	
19	Sal wood in scantling	0.2	cmt	one cubic meter	
20	Mirror of Suprior make glass 453 X 357 mm	10	Nos	Each	
21	White Plastic seat (solid) with lid C.P. brass hinger and rubber buffers	5	Nos	Each	
22	C. P. brass waste coupling for stainless steel sink	10	Nos	Each	
23	waste pipe for sink and wash	50	Nos	Each	
24	Unplasticised P.V.C. connection pipe with brass Union 45 mm long 15 mm	20	Nos	Each	
25	Unplasticised P.V.C. connection pipe with brass Union 60 mm long 15 mm Unplasticised P.V.C.	10	Each	Each	
26	Connection pipe with brass Linion 90 mm long 15 mm	10	Each	Each	
27	C.P. brass bib cock 15 mm	100	Nos	Each	
28	C.P. brass bib cock 15 mm long body	20	Nos	Each	
29	C.P. brass Stop cock 15 mm	30	Nos	Each	
30	C.P. Brass angle valve 15 mm	10	Nos	Each	
31	C. P. brass pillar cock 15 mm Dia	20	Nos	Each	
32	C. P. brass waste couplin for wash basin	10	Nos	Each	
33	P.V.C. Sintex tank cover	10	Nos	Each	
34	G.I. Pipe				
a)	15 mm Dia	10	Nos	Each	
b)	20 mm Dia	10	Nos	Each	
c)	25 mm Dia	5	Nos	Each	
d)	40 mm Dia	5	Nos	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nns

				<u> </u>	
35	G. I. Tee 1/2" X 1/2" Dia	20	Nos	Each	
36	G. I. Tee 3/4" X 3/4" Dia	10	Nos	Each	
37	G. I. Tee 1" X 1" Dia	5	Nos	Each	
38	G. I. Tee 1½ " X 1½ " Dia	5	Nos	Each	
39	G. I. Elbow 1/2" Dia	60	Nos	Each	
40	G. I. Elbow 3/4" Dia	10	Nos	Each	
41	G. I. Elbow 1" Dia	30	Nos	Each	
42	G. I. Elbow 1½ " Dia	10	Nos	Each	
43	G. I. Coupline 1/2" Dia	50	Nos	Each	
44	G. I. Coupline 3/4" Dia	10	Nos	Each	
45	G. I. Coupline 1" Dia	20	Nos	Each	
46	G. I. Coupline 1½ " Dia	10	Nos	Each	
47	G. I. Nipple 1/2" Dia 2" long	50	Nos	Each	
48	G. I. Nipple 3/4" Dia 2" long	10	Nos	Each	
49	G. I. Nipple 1" Dia 2" long	10	Nos	Each	
50	G. I. Nipple 1½ " Dia 2" long	5	Nos	Each	
51	G. I. Nipple 1/2" Dia 6" long	20	Nos	Each	
52	G. I. Nipple 3/4" Dia 6" long	10	Nos	Each	
53	G. I. Nipple 1" Dia 6" long	10	Nos	Each	
54	G. I. Nipple 1½ " Dia 6" long	5	Nos	Each	
	•				

Corrections _	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

55	G. I. Nipple 1/2" Dia from 6" to 12" long	20	Nos	Each	
56	G. I. Nipple 3/4" Dia from 6" to 12" long	10	Nos	Each	
57	G. I. Nipple 1" Dia from 6" to 12" long	10	Nos	Each	
58	G. I. Nipple 1½ " Dia from 6" to 12" long	5	Nos	Each	
59	G. I. Reducer Dia 1/2" X 3/4"	15	Nos	Each	
60	G. I. Reducer Dia 3/4" X 1"	5	Nos	Each	
61	G. I. Reducer Dia 1" X 1½ "	5	Nos	Each	
62	G. M. lever valve 1/2"Dia	5	Nos	Each	
63	G. M. lever valve 3/4"Dia	5	Nos	Each	
64	G. M. lever valve 1"Dia	5	Nos	Each	
65	G. M. lever valve 1½ "Dia	5	Nos	Each	
66	G.I. Union 1/2" Dia	10	Nos	Each	
67	G.I. Union 3/4" Dia	10	Nos	Each	
68	G.I. Union 1" Dia	10	Nos	Each	
69	G.I. Union 1½ " Dia	5	Nos	Each	
70	PVC pipe				
a)	40 mm Dia	10	Mtr	Mtr	
b)	50 mm Dia	5	Mtr	Mtr	
c)	75 mm Dia	12	Mtr	Mtr	
d)	90 mm Dia	5	Mtr	Mtr	
e)	110 mm Dia	12	Mtr	Mtr	
71	PVC Elbow				

Corrections _	Nos.
Over written _	Nos.
Additions	Nos.
Ommissions	Nns

a) 40 mm Dia 15						
S0 mm Dia	a)	40 mm Dia	15	Each	Each	
75 mm Dia	b)	50 mm Dia	10	Each	Each	
90 mm Dia	c)	75 mm Dia	10	Each	Each	
110 mm Dia 10	d)	90 mm Dia	10	Each	Each	
a) 75 mm Dia 5 Each Each b) 90 mm Dia 5 Each Each c) 110 mm Dia 5 Each Each 73 PVC Coupler	e)	110 mm Dia	10	Each	Each	
a) 75 mm Dia 5 Each Each b) 90 mm Dia 5 Each Each c) 110 mm Dia 5 Each Each 73 PVC Coupler	72	PVC plug Elbow				
Somm Dia Somm Dia Each Each Each			5	Each	Each	
110 mm Dia 5	b)	90 mm Dia	5	Each	Each	
a) 40 mm Dia 15 Each Each b) 50 mm Dia 10 Each Each c) 75 mm Dia 10 Each Each d) 90 mm Dia 10 Each Each e) 110 mm Dia 10 Each Each 74 PVC Tee PVC Tee PVC Tee Each Each a) 40 mm Dia 5 Each Each c) 75 mm Dia 5 Each Each d) 90 mm Dia 5 Each Each e) 110 mm Dia 5 Each Each 75 PVC plug Tee PVC plug Tee	c)	110 mm Dia	5	Each	Each	
a) 40 mm Dia 15 Each Each b) 50 mm Dia 10 Each Each c) 75 mm Dia 10 Each Each d) 90 mm Dia 10 Each Each e) 110 mm Dia 10 Each Each 74 PVC Tee PVC Tee PVC Tee Each Each b) 50 mm Dia 5 Each Each c) 75 mm Dia 5 Each Each d) 90 mm Dia 5 Each Each e) 110 mm Dia 5 Each Each 75 PVC plug Tee PVC plug Tee	73	PVC Coupler				
S0 mm Dia			15	Each	Each	
75 mm Dia	b)	50 mm Dia	10	Each	Each	
90 mm Dia 10	c)	75 mm Dia	10	Each	Each	
110 mm Dia 10 Each Each 74 PVC Tee Each Each a) 40 mm Dia 5 Each Each b) 50 mm Dia 5 Each Each c) 75 mm Dia 5 Each Each d) 90 mm Dia 5 Each Each e) 110 mm Dia 5 Each Each 75 PVC plug Tee PVC plug Tee PVC plug Tee	d)	90 mm Dia	10	Each	Each	
a) 40 mm Dia 5 Each Each b) 50 mm Dia 5 Each Each c) 75 mm Dia 5 Each Each d) 90 mm Dia 5 Each Each e) 110 mm Dia 5 Each Each 75 PVC plug Tee PVC plug Tee	e)	110 mm Dia	10	Each	Each	
a) 40 mm Dia 5 Each Each b) 50 mm Dia 5 Each Each c) 75 mm Dia 5 Each Each d) 90 mm Dia 5 Each Each e) 110 mm Dia 5 Each Each 75 PVC plug Tee PVC plug Tee	74	PVC Tee				
50 mm Dia 5 Each Each c) 75 mm Dia 5 Each Each d) 90 mm Dia 5 Each Each e) 110 mm Dia 5 Each Each 75 PVC plug Tee Each Each			5	Each	Each	
75 mm Dia	b)	50 mm Dia	5	Each	Each	
90 mm Dia	c)	75 mm Dia	5	Each	Each	
110 mm Dia 5 Each Each 75 PVC plug Tee a)	d)	90 mm Dia	5	Each	Each	
a)	e)	110 mm Dia	5	Each	Each	
a)	75	PVC plug Tee				
			5	Each	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

b)					
, D)	90 mm Dia	5	Each	Each	
c)	110 mm Dia	5	Each	Each	
76	PVC MT				
a)	40 mm Dia	5	Each	Each	
b)	50 mm Dia	5	Each	Each	
77	PVC FT				
a)	40 mm Dia	5	Each	Each	
b)	50 mm Dia	5	Each	Each	
78	PVC Reducer				
a)	40/50 mm Dia	3	Each	Each	
b)	75/90 mm Dia	3	Each	Each	
C)	75/110 mm Dia	3	Each	Each	
d)	90/110 mm Dia	3	Each	Each	
79	PVC Cowel			Each	
a)	75 mm Dia	3	Each	Each	
b)	110 mm Dia	3	Each	Each	
80	PVC Solution (100gm)	25	Each	Each	
81	Jet Spary with connecting pipe	5	Each	Each	
82	Health faucet with connecting pipe	5	Each	Each	
83	150 X 150 mm SS Jali	25	Each	Each	
84	PVC Nahni Trap - 75 mm	10	Each	Each	
85	Brass Hex Nipple	20	Each	Each	
86	Brass Extension Nipple 1" to 3" long	20	Each	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

87	Khiti (6 Pins)	10	Each	Each	
88	CPVC pipe				
a)	15 mm Dia	10	Mtr	Mtr	
b)	20 mm Dia	20	Mtr	Mtr	
c)	25 mm Dia	10	Mtr	Mtr	
d)	32 mm Dia	10	Mtr	Mtr	
e)	40 mm Dia	10	Mtr	Mtr	
89	CPVC Coupler				
a)	15 mm Dia	5	Each	Each	
b)	20 mm Dia	5	Each	Each	
c)	25 mm Dia	5	Each	Each	
d)	32 mm Dia	5	Each	Each	
e)	40 mm Dia	5	Each	Each	
90	CPVC Elbow				
a)	15 mm Dia	5	Each	Each	
b)	20 mm Dia	5	Each	Each	
c)	25 mm Dia	5	Each	Each	
d)	32 mm Dia	5	Each	Each	
e)	40 mm Dia	5	Each	Each	
91	CPVC Tee				
a)	15 mm Dia	5	Each	Each	
b)	20 mm Dia	5	Each	Each	
c)	25 mm Dia	5	Each	Each	

Nos.
Nos.
Nos.
Nos.

		I		1		1
d)	32 mm Dia	5	Each		Each	
e)	40 mm Dia	5	Each		Each	
92	CPVC Reducing Tee					
a)	15 X 20 mm dia	3	Each		Each	
b)	20 X 25 mm dia	3	Each		Each	
c)	25 X 32 mm dia	3	Each		Each	
d)	32 X 40 mm dia	3	Each		Each	
93	CPVC reducer					
a)	15 X 20 mm dia	3	Each		Each	
b)	20 X 25 mm dia	3	Each		Each	
c)	25 X 32 mm dia	3	Each		Each	
d)	32 X 40 mm dia	3	Each		Each	
94	CPVC Brass MT					
a)	15 mm Dia	3	Each		Each	
b)	15 X 20 mm dia	3	Each		Each	
c)	20 mm Dia	3	Each		Each	
d)	25 mm Dia	3	Each		Each	
e)	32 mm Dia	3	Each		Each	
f)	40 mm Dia 3		Each		Each	
95	CPVC Brass FT					
a)	15 mm Dia	3	Each		Each	
b)	15 X 20 mm dia	3	Each		Each	
c)	20 mm Dia	3	Each		Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

d)	25 mm Dia	3	Each	Each	
e)	32 mm Dia	3	Each	Each	
f)	40 mm Dia	3	Each	Each	
96	CPVC End Cap				
a)	15 mm Dia	3	Each	Each	
b)	20 mm Dia	3	Each	Each	
c)	25 mm Dia	3	Each	Each	
d)	32 mm Dia	3	Each	Each	
e)	40 mm Dia	3	Each	Each	
97	CPVC Brass Elbow				
a)	15 mm dia	5	Each	Each	
b)	15 X 20 mm dia	5	Each	Each	
98	CPVC Brass Tee				
a)	15 mm dia	5	Each	Each	
b)	15 X 20 mm dia	5	Each	Each	
99	CPVC Union				
a)	25 mm Dia	3	Each	Each	
b)	40 mm Dia 3		Each	Each	
100	CPVC Tank Nipple				
a)	25 mm Dia 3		Each	Each	
b)	40 mm Dia	3	Each	Each	
101	CPVC Solution (118) ml	10	Each	Each	
102	Pipe Clamp				
a)	15 mm Dia	20	Each	Each	

Corrections	Nos.
Over written	Nos.
Additions	Nos.
Ommissions	Nos.

b)	20 mm Dia	20	Each		Each	
c)	25 mm Dia	20	Each		Each	
d)	32 mm Dia	20	Each		Each	
e)	40 mm Dia	20	Each		Each	
f)	50 mm Dia	20	Each		Each	
g)	75 mm Dia	20	Each		Each	
h)	90 mm Dia	20	Each		Each	
i)	110 mm Dia	20	Each		Each	
103	Justi Khila	300	Each		Each	
104	Cast iron plug					
a)	15 mm Dia	5	Each		Each	
b)	20 mm Dia	5	Each		Each	
c)	25 mm Dia	5	Each		Each	
d)	32 mm Dia	5	Each		Each	
e)	40 mm Dia	5	Each		Each	
105	Chromium plated brass screw (of any size)	100	Nos	Nos Each		
106	Nails/ khilli (of any size)	20	Pkt	Pkt per 100 gn		
107	M-seal packet	25	Nos	Nos Each		
108	Tafflone tape	200	Nos		Each	
109	mm precast R.C.C manhole	5	Nos		Each	
		Total Rs:				

Corrections _	Nos.
Over written _	Nos.
Additions	Nos.
Ommissions _	Nos.

	In words Rs	 	 	
Corrections Over weitten	Nos. Nos.			
Additions	Nos.			
Ommissions	Nos.			(Sign and seal of Bidder)